

SECTION 1: Identification of the substance/mixture and of the company

- 1.1 Product identifier
 - Product Name: NeogenVet® RenaKare™ (Potassium Gluconate Powder)
 - Product Part Number(s): 09075
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/preparation: For use as a potassium supplement in hypokalemic cats and dogs.
 - CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.
 - Uses advised against: Use only as directed. See label cautions.

USA

- 1.3 Details of the supplier of the safety data sheet
 - Name of Manufacturer: Neogen Corporation
 Address of Manufacturer: 944 Nandino Blvd. Lexington, Kentucky
 - Telephone: 859/254-1221Email: Inform@neogen.com
- 1.4 Emergency telephone number
 - Emergency Telephone: Chemtrec: 1 (800) 424-9300 Outside USA and Canada: +1 (703) 527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (29 CFR 1910.1200)

- Sensitization-respiratory, Cat. 1, Specific target organ toxicity (single exposure), Cat. 3 Classification (WHMIS 2015 HPR)
- Sensitization-respiratory, Cat. 1, Specific target organ toxicity (single exposure), Cat. 3

Additional information: For full text of Hazard statements: see Section 16

2.2 Label elements



GHS07



GHS08

- Signal Word: Danger
- Symbols: GHSS07, GHS08
- Hazard phrases
 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 - May cause respiratory irritation.
- Precautionary Phrases

In case inadequate ventilation, wear respiratory protection.

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center or doctor.

Store locked up in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local, regional, national, or international regulations.

2.3 Other hazards

- May be mildly irritating to skin and eyes.
- Keep out of reach of children.



SECTION 3: Composition/information on ingredients

- 3.1 Substances
- 3.2 Mixtures

This product is a mixture of the substances listed below with the addition of non-hazardous materials

Chemical	Concentration	CAS No.	H-Statements	Symbols
Potassium gluconate	2 mEq (468 mg) per ¼ tsp (0.65g)	299-27-4	None	None
Pepsin	5-10%	9001-75-6	H315, H319, H334, H335	GHS07, GHS08

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4 First aid measures

- 4.1 Description of first aid measures
 - General

In case of doubt, or when symptoms persist, seek medical attention.

In general, this product is not hazardous to humans or animals, but like any other chemical, it should be treated with care, respect, and common sense.

- Contact with skin

Remove contaminated clothing.

Wash affected area with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Contaminated clothing should be laundered before reuse.

- Contact with eyes

If substance has gotten into eyes, immediately wash out with plenty of water for at least 15 minutes.

Irrigate eyes thoroughly while lifting eyelids.

Seek medical advice if necessary.

Ingestion

Rinse mouth with water (do not swallow).

Never make an unconscious person vomit or drink fluids.

If medical advice is needed, have product container or label at hand.

- Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center or doctor/physician if you develop respiratory symptoms or if you feel unwell.

- 4.2 Most important symptoms and effects, both acute and delayed
 - The most important known symptoms are described in the labeling (see Section 2.2) and/or in Section 11.
- 4.3 Indication of any immediate medical attention and special treatment needed
 - Treat symptomatically.

SECTION 5: Fire-fighting measures

- 5.1 Extinguishing media
 - In case of fire: use water spray, foam, carbon dioxide or dry agent for extinction.
- 5.2 Special hazards arising from the substance or mixture
 - Smoke from fires is toxic. Take precautions to protect personnel from exposure.
 - See Section 10.
- 5.3 Advice for firefighters
 - Keep container(s) exposed to fire cool, by spraying with water.
 - Wear chemical protection suit and positive-pressure breathing apparatus, if necessary.
 - Wear protective clothing as per Section 8.



SECTION 5: Fire-fighting measures (continued)

- 5.4 Hazardous Combustion Products
 - May include carbon oxides.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Shut off all ignition sources.
 - Use non-sparking hand tools.
 - Avoid raising dust.
 - Wear protective clothing as per Section 8.
 - Wash thoroughly after dealing with spillage.

6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses.
- Avoid releasing to the environment.
- 6.3 Methods and material for containment and cleaning up
 - Sweep up and shovel.
 - Place in sealable container.
 - Seal containers and label them.
 - Seek expert advice for removal and disposal of all contaminated materials and wastes.

6.4 Reference to other sections

- See Section 7 for storage. For disposal, see Section 13.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Do not breathe dust.
 - Avoid contact with skin and eyes.
 - Do not eat, drink or smoke when using this product.
 - Wash hands thoroughly after using this substance.
- 7.2 Conditions for safe storage, including any incompatibilities
 - Store in a dry place.
 - Keep lid tightly closed when not in use.
 - Keep out of reach of children.
- 7.3 Specific end use(s)
 - Indications from label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS No.	Value	Control Parameters	Basis
Cellulose	9004-34-6	TWA	15 mg/m ³	USA-OSHA Table Z-1 Limits for Air Contaminants - 1910.1000
		TWA	10 mg/m ³	USA-NIOSH Recommended Exposure Limits
		TWA	10 mg/m ³	USA-ACGIH Threshold Limit Values (TLV)
Silica, precipitated	112926-00-8	TWA	6 mg/m ³	USA-OSHA Table Z-1 Limits for Air Contaminants - 1910.1000
		TWA	20 million particles per ft ³	USA-OSHA Occupational Exposure Limits Table Z-3 Mineral Dusts
		TWA	6 mg/m ³	USA-NIOSH Recommended Exposure Limits



SECTION 8: Exposure controls/personal protection (continued)

8.2 Exposure controls

- Engineering controls should be provided to prevent the need for ventilation.
- No respiratory protection is needed if ventilation/extraction is adequate, otherwise wear an approved NIOSH N95 dust mask.
- Wear protective gloves according to the concentration and amount of dangerous substance at the specific workplace.
- Wear safety glasses approved to standard for ANSI Z87, according to the concentration and amount of dangerous substance at the specific workplace.
- Wear suitable protective clothing in accordance with good industrial hygiene and safety practices in the event of prolonged exposure to bulk quantities.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
 - Appearance: Brown, granular powder
 - Odor: Earthy odor
 - pH: Not applicable
 - Melting point/Range: Not determined
 - Boiling Point/Range: Not applicable
 - Flashpoint: No information available
 - Evaporation Rate: Not applicable
 - Flammability: No information available
 - Vapor Pressure: No information available
 - Vapor Density: No information available
 - Specific Gravity: No information available
 - Solubility in water: No information available
 - Partition Coefficient (n-Octanol/Water): No information available
 - Autoignition Temperature: Product is not self-igniting
 - Viscosity: Product is solid
 - Explosive Properties: Product does not present an explosion hazard
 - Oxidizing Properties: No information available

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

- 10.1 Reactivity
 - No information available
- 10.2 Chemical stability
 - Considered stable under normal conditions.
- 10.3 Possibility of hazardous reactions
 - No hazardous reactions known if used for its intended purpose.
- 10.4 Conditions to avoid
 - Avoid contact with moisture.
- 10.5 Incompatible materials
 - None known
- 10.6 Hazardous Decomposition Products
 - None known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
 - No experimental test data available for mixture
 - ATEmix = 6211 mg/kg
 - Contact with skin

May cause redness and irritation in sensitive individuals.



SECTION 11: Toxicological information (continued)

- Contact with eyes
 - May cause redness and irritation in sensitive individuals.
- Ingestion

Product is not toxic, but may cause irritation of the throat and/or nausea in sensitive individuals.

- Inhalation
 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 - May cause respiratory irritation.
- Carcinogenicity

Precipitated silica is listed as reasonably anticipated to be a human carcinogen in the National Toxicology Program (NTP) 13th Report on Carcinogens.

Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.

Not listed in OSHA standard 1910.1003 Carcinogens.

- Mutagenicity
 - No evidence of mutagenic effects.
- Teratogenicity
 - No evidence of teratogenic effects.

SECTION 12: Ecological information

- 12.1 Toxicity
 - This product is not classified as hazardous to the environment under U.S. regulations.
- 12.2 Persistence and degradability
 - No information available
- 12.3 Bioaccumulation Potential
 - No information available
- 12.4 Mobility in soil
 - No information available
- 12.5 Results of PBT and vPvB assessment
 - PBT/vPvB assessment not available
- 12.6 Other Adverse Effects
 - To the best of our knowledge, the properties of this material have not been fully evaluated.
 - On available data, substance is not harmful to the environment.

SECTION 13: Disposal considerations

Waste treatment methods

- Disposal should be in accordance with local, state, national, or international regulations.
- Do not discharge into drains or the environment, dispose to an approved waste disposal facility.
- Do not reuse empty containers.

SECTION 14: Transport information

- 14.1 UN Number
 - Not classified as hazardous for transport
- 14.2 UN Proper Shipping Name
 - Not applicable
- 14.3 Transport hazard class(es)
 - Not applicable
- 14.4 Packing group
 - Not applicable
- 14.5 Environmental hazards
 - Not Classified



SECTION 14: Transport information (continued)

- 14.6 Special precautions for user
 - Not Classified
- 14.7 Domestic Surface Transport (US DOT)
 - Proper Shipping Name: Not applicable
 - DOT UN No.: Not applicable
 - DOT Hazard Class: Not applicable
 - DOT Packing Group: Not applicable

14.8 International Road/Rail (ADR/RID)

- Proper Shipping Name: Not applicable
- ADR UN No.: Not applicable
- ADR Hazard Class: Not applicable
- ADR Packing Group: Not applicable
- Tunnel Code: Not applicable

14.9 Ocean/Sea (IMO/IMDG)

- Proper Shipping Name: Not applicable
- IMDG UN No.: Not applicable
- IMDG Hazard Class: Not applicable
- IMDG Packing Group: Not applicable

14.10 Air (ICAO/IATA)

- Proper Shipping Name: Not applicable
- ICAO Un No.: Not applicable
- ICAO Hazard Class: Not applicable
- ICAO Packing Group: Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - The labeling requirements of the Federal Food, Drug, and Cosmetic Act differ from the classification criteria and hazard information required for safety data sheets and for workplace labels under the OSHA Hazard Communication Standard 29 CFR 1910.1200. Following is the hazard information as required on the drug label:

KEEP OUT OF REACH OF CHILDREN

For veterinary use only.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

- NDC: 59051-9075-1

15.2 United States Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The material does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

California Prop 65

This product does not contain substances known to the State of California to cause cancer, birth defects, or other reproductive harm.



SECTION 15: Regulatory information (continued)

15.2 United States Regulatory Information (continued)

State Right-to-Know

Massachusetts

Cellulose, CAS No. 9004-34-6

Silica, precipitated, CAS No. 112926-00-8

New Jersey

Cellulose, CAS No. 9004-34-6

Silica, precipitated, CAS No. 112926-00-8

Pennsylvania

Cellulose, CAS No. 9004-34-6

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

15.3 Canadian Regulatory Information

- This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR). The labelling may differ subject to the requirements of the Food and Drugs Act (FDA).
- WHMIS Classification: Exempt
- Inventory Status

Domestic Substances List (DSL) Listed
Non-Domestic Substances List (NDSL) Not listed

SECTION 16: Other information

Document Number: SDS-0014, RenaKare (Powder)

Date of Preparation: November 6, 2015

Revision: Rev. 0 Replaces: New issue

Text not given with phrase codes where they are used elsewhere in this safety data sheet: H315: Causes skin irritation. H319: Causes serious eye irritation. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335: May cause respiratory irritation.

This document is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. Neogen Corporation shall not be held liable for any damage resulting from handling or from contact with the above product. These suggestions should not be confused with state, municipal or insurance requirements, and constitute NO WARRANTY.