

Revision date: 14-Mar-2014 Version: 2.0 Page 1 of 12

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus

Tetanus Toxoid

Trade Name: FLUVAC INNOVATOR 5

Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine
Restrictions on Use: Veterinary Vaccine
Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288 Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com **Emergency telephone number:**

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Pink suspension

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

Short Term: In the event of accidental injection, an allergic reaction may occur. If an allergic reaction

occurs, the worker should be removed to the nearest emergency room and the appropriate

therapy instituted.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 12

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Thimerosal	54-64-8	200-210-4	T+; R26/27/28; R33 N; R50/53	Acute Tox. 2 (H300) Acute Tox. 1 (H310) STOT RE 2 (H373) Acute Tox. 2 (H330) Acute Aquatic 1 (H400) Chronic Aquatic 1 (H410)	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Resp Sens. 1 (H334)	<0.1
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Inactivated Equine Herpes virus type 1	Not Assigned	Not Listed	Not Listed	Not Listed	*
Inactivated Equine Herpes virus type 4	Not Assigned	Not Listed	Not Listed	Not Listed	*
Phosphate Buffered Saline	Mixture	Not Listed	Not Listed	Not Listed	*
Poloxalene	9003-11-6	Not Listed	Not Listed	Not Listed	*
Polysorbate 80	9005-65-6	Not Listed	Not Listed	Not Listed	*
WESTERN EQUINE ENCEPHALOMYELITIS	Not Assigned	Not Listed	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	Not Listed	*

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

Page 3 of 12

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

PZ01899

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

Measures for Cleaning /

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill Collecting:

area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

Page 4 of 12

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Store as directed by product packaging. Storage Conditions:

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

No data available Specific end use(s):

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit: 0.3 ppm **ACGIH - Sensitizer Designation** Sensitizer **Australia STEL** 2 ppm 2.5 mg/m³ 1 ppm **Australia TWA** 1.2 mg/m³ **Austria OEL - MAKs** 0.5 ppm 0.6 mg/m³ **Bulgaria OEL - TWA** 1.0 mg/m³ Czech Republic OEL - TWA 0.5 mg/m³ **Estonia OEL - TWA** 0.5 ppm 0.6 mg/m³ **Finland OEL - TWA** 0.3 ppm 0.37 mg/m³

France OEL - TWA 0.5 ppm

Germany (DFG) - MAK 0.3 ppm

0.37 mg/m³ no irritation should occur during mixed exposure

Greece OEL - TWA 2 ppm 2.5 mg/m³ **Hungary OEL - TWA** 0.6 mg/m³

Ireland OEL - TWAs 2 ppm 2.5 mg/m³

Japan - OELs - Ceilings 0.2 ppm 0.24 mg/m³

Page 5 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm
	0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm
	1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm
	0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm
	0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm
	0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm
	0.37 mg/m ³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Polymyxin B

OEB 2 - Sensitizer (control exposure to the range of 100ug/m³ to < 1000ug/m³, provide **Zoetis OEB**

additional precautions to protect from skin contact)

Exposure Controls

Engineering controls should be used as the primary means to control exposures. General **Engineering Controls:**

> room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this

section.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal **Equipment:**

protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Wear safety glasses or goggles if eye contact is possible. Eyes:

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, Respiratory protection:

with appropriate protection factors, should be used to minimize exposure.

Page 6 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Suspension Color: Pink

Odor: No data available. Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility:

Water Solubility:

PH:

Melting/Freezing Point (°C):

Boiling Point (°C):

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available.

No data available.

No data available.

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or

inactivated preparations of microorganisms. The information included in this section describes

the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Page 7 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Thimerosal

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91 mg/kg Rat Subcutaneous LD50 98mg/kg

Polymyxin B

Mouse Oral LD50 790 mg/kg Mouse Para-periosteal LD50 3980ug/kg Rat Subcutaneous LD50 50mg/kg

Polysorbate 80

Rat Oral LD50 25 g/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Thimerosal

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe Skin Irritation Rabbit Moderate Severe

Skin Sensitization Positive

Skin Irritation / SensitizationThis product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

D704000

PZ01899

Page 8 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Polymyxin B

In Vitro Negative In Vivo Negative

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Page 9 of 12

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Inactivated Equine Herpes virus type 1
CERCLA/SARA 313 Emission reporting
California Proposition 65

Not Listed Not Listed

Page 10 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

15. REGULATORY INFORMATION			
EU EINECS/ELINCS List	Not Listed		
Inactivated Equine Herpes virus type 4			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
EU EINECS/ELINCS List	Not Listed		
Phosphate Buffered Saline			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
EU EINECS/ELINCS List	Not Listed		
LO LINEOS/LLINOS LIST	THE EIGHT		
Poloxalene			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
EU EINECS/ELINCS List	Not Listed		
Delve arkete 00			
Polysorbate 80 CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
· · · · · · · · · · · · · · · · · · ·	Present		
Australia (AICS): EU EINECS/ELINCS List	Not Listed		
EU EINECS/ELINCS LIST	Not Listed		
WESTERN EQUINE ENCEPHALOMYELITIS			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
EU EINECS/ELINCS List	Not Listed		
7 1.5			
Thimerosal	Not I interd		
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
Inventory - United States TSCA - Sect. 8(b)	Present		
Australia (AICS):	Present		
EU EINECS/ELINCS List	200-210-4		
Polymyxin B			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		
EU EINECS/ELINCS List	215-768-4		
Neomycin Free Base			
CERCLA/SARA 313 Emission reporting	Not Listed		
California Proposition 65	Not Listed		

Schedule 4

Standard for the Uniform Scheduling

for Drugs and Poisons:

Page 11 of 12

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List 215-766-3

Squalene

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Present

203-826-1

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 100 lb

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Schedule

Standard for the Uniform Scheduling
for Drugs and Poisons:
Schedule 2
Schedule 6
EU EINECS/ELINCS List
200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.2; H300 - Fatal if swallowed

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Acute toxicity, dermal-Cat.1; H310 - Fatal in contact with skin

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Carcinogenicity-Cat.1A; H350 - May cause cancer

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

Material Name: Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine Eastern and Western, Killed Virus Tetanus

Toxoid

Revision date: 14-Mar-2014 Version: 2.0

C - Corrosive

Carcinogenic: Category 3

N - Dangerous for the environment

T - Toxic

T+ - Very toxic Xn - Harmful

R22 - Harmful if swallowed.

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal

Page 12 of 12

Protection.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet