

# MATERIAL SAFETY DATA SHEET



Revision date: 04-Sep-2013

Version: 2.0

Page 1 of 8

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### Product Identifier

**Material Name:** STRONGID C 2X (Pyrantel Tartrate)

**Trade Name:** STRONGID  
**Chemical Family:** Mixture

### Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Veterinary product used as anti-worm agent (anthelmintic)  
**Restrictions on Use:** Not for human use

### Details of the Supplier of the Safety Data Sheet

Zoetis Inc.  
100 Campus Drive, P.O. Box 651  
Florham Park, New Jersey 07932 (USA)  
Rocky Mountain Poison Control Center Phone: 1-866-531-8896  
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.  
Mercuriusstraat 20  
1930 Zaventem  
Belgium

**Emergency telephone number:**  
**CHEMTREC (24 hours):** 1-800-424-9300  
**Contact E-Mail:** VMIPSrecords@zoetis.com

**Emergency telephone number:**  
**International CHEMTREC (24 hours):** +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

**Appearance:** Granules  
**Classification of the Substance or Mixture**  
**GHS - Classification** Not classified as hazardous

**EU Classification:**  
EU Indication of danger: Not classified

### Label Elements

**Hazard Statements:** Not classified in accordance with international standards for workplace safety.

### Other Hazards

**Short Term:** May be harmful if swallowed. (based on components) .  
**Long Term:** Repeat-dose studies in animals have shown a potential to cause adverse effects on gastrointestinal system and central nervous system.  
**Known Clinical Effects:** Ingestion of this material may cause effects similar to those seen in clinical use including nausea, vomiting, abdominal cramps, anorexia, diarrhea, and constipation. Occasional, transient changes reported in liver function tests, but no liver damage seen. Central nervous system effects such as dizziness, headache, insomnia, irritability and weakness have also been reported.

**Australian Hazard Classification (NOHSC):** Non-Hazardous Substance. Non-Dangerous Goods.

## MATERIAL SAFETY DATA SHEET

Material Name: **STRONGID C 2X (Pyrantel Tartrate)**  
Revision date: 04-Sep-2013

Page 2 of 8  
Version: 2.0

**Note:** This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Pyrantel tartrate	33401-94-4	251-501-8	Not Listed	Not Listed	2.1
Mineral oil, white	8042-47-5	232-455-8	Not Listed	Not Listed	*
PROPIONIC ACID ... %	79-09-4	201-176-3	C; R34	Skin Corr. 1B (H314)	0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Non-hazardous ingredients	NOT APPLICABLE	Not Listed	Not Listed	Not Listed	*

**Additional Information:** \* Proprietary  
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

#### Description of First Aid Measures

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

#### Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** None known

#### Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** None

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Use carbon dioxide, dry chemical, or water spray.

## MATERIAL SAFETY DATA SHEET

Material Name: **STRONGID C 2X (Pyrantel Tartrate)**  
Revision date: 04-Sep-2013

Page 3 of 8  
Version: 2.0

### Special Hazards Arising from the Substance or Mixture

**Hazardous Combustion Products:** Emits toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides and other sulfur-containing compounds.

**Fire / Explosion Hazards:** Dust can form an explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.

### Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Evacuate area and fight fire from a safe distance.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

### Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

### Methods and Material for Containment and Cleaning Up

**Measures for Cleaning / Collecting:** Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

**Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store at room temperature in properly labeled containers. Keep away from heat, sparks and flames.

**Specific end use(s):** No data available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

#### Pyrantel tartrate

**Zoetis OEL TWA 8-hr** 300µg/m<sup>3</sup>

#### Mineral oil, white

**ACGIH Threshold Limit Value (TWA)** 5 mg/m<sup>3</sup>  
**ACGIH Threshold Limit Value (STEL)** 10 mg/m<sup>3</sup> (oil mist)

## MATERIAL SAFETY DATA SHEET

Material Name: STRONGID C 2X (Pyrantel Tartrate)  
Revision date: 04-Sep-2013

Page 4 of 8  
Version: 2.0

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### PROPIONIC ACID ... %

ACGIH Threshold Limit Value (TWA)	10 ppm
Australia TWA	10 ppm
	30 mg/m <sup>3</sup>
Austria OEL - MAKs	10 ppm
	31 mg/m <sup>3</sup>
Belgium OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Bulgaria OEL - TWA	31.0 mg/m <sup>3</sup>
	10 ppm
Cyprus OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Czech Republic OEL - TWA	30 mg/m <sup>3</sup>
Denmark OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Estonia OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Finland OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
France OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Germany - TRGS 900 - TWAs	10 ppm
	31 mg/m <sup>3</sup>
Germany (DFG) - MAK	10 ppm
	31 mg/m <sup>3</sup>
Greece OEL - TWA	10 ppm
	30 mg/m <sup>3</sup>
Hungary OEL - TWA	31 mg/m <sup>3</sup>
Ireland OEL - TWAs	10 ppm
	31 mg/m <sup>3</sup>
Italy OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Latvia OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Lithuania OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Luxembourg OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Malta OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Netherlands OEL - TWA	31 mg/m <sup>3</sup>
Poland OEL - TWA	30 mg/m <sup>3</sup>
Portugal OEL - TWA	10 ppm
Romania OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Slovakia OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Slovenia OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>
Spain OEL - TWA	10 ppm
	31 mg/m <sup>3</sup>

## MATERIAL SAFETY DATA SHEET

Material Name: STRONGID C 2X (Pyrantel Tartrate)  
Revision date: 04-Sep-2013

Page 5 of 8  
Version: 2.0

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Sweden OEL - TWAs	10 ppm 30 mg/m <sup>3</sup>
Switzerland OEL -TWAs	10 ppm 30 mg/m <sup>3</sup>

<b>Analytical Method:</b>	Analytical method available for Pyrantel Tartrate. Contact Pfizer Inc for further information.
<b>Exposure Controls</b>	
<b>Engineering Controls:</b>	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.
<b>Personal Protective Equipment:</b>	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
<b>Hands:</b>	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.
<b>Eyes:</b>	Wear safety glasses or goggles if eye contact is possible.
<b>Skin:</b>	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
<b>Respiratory protection:</b>	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Granules	<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.	<b>Odor Threshold:</b>	No data available.
<b>Molecular Formula:</b>	Mixture	<b>Molecular Weight:</b>	Mixture
<b>Solvent Solubility:</b>	No data available		
<b>Water Solubility:</b>	No data available		
<b>pH:</b>	No data available.		
<b>Melting/Freezing Point (°C):</b>	No data available		
<b>Boiling Point (°C):</b>	No data available.		
<b>Partition Coefficient: (Method, pH, Endpoint, Value)</b>			
No data available			
<b>Decomposition Temperature (°C):</b>	No data available.		
<b>Evaporation Rate (Gram/s):</b>	No data available		
<b>Vapor Pressure (kPa):</b>	No data available		
<b>Vapor Density (g/ml):</b>	No data available		
<b>Relative Density:</b>	No data available		
<b>Viscosity:</b>	No data available		
<b>Flammability:</b>			
<b>Autoignition Temperature (Solid) (°C):</b>		No data available	
<b>Flammability (Solids):</b>		No data available	
<b>Flash Point (Liquid) (°C):</b>		No data available	
<b>Upper Explosive Limits (Liquid) (% by Vol.):</b>		No data available	
<b>Lower Explosive Limits (Liquid) (% by Vol.):</b>		No data available	

### 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No data available
<b>Chemical Stability:</b>	Stable

## MATERIAL SAFETY DATA SHEET

Material Name: STRONGID C 2X (Pyrantel Tartrate)  
Revision date: 04-Sep-2013

Page 6 of 8  
Version: 2.0

### 10. STABILITY AND REACTIVITY

#### Possibility of Hazardous Reactions

**Oxidizing Properties:** None  
**Conditions to Avoid:** Not determined  
**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers  
**Hazardous Decomposition Products:** No data available

### 11. TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects

**General Information:** The information included in this section describes the potential hazards of the individual ingredients.

#### Acute Toxicity: (Species, Route, End Point, Dose)

##### Mineral oil, white

Rat Oral LD50 > 5000 mg/kg

##### Pyrantel tartrate

Rat Oral LD50 170 mg/kg  
Mouse Oral LD50 175mg/kg

##### Mineral oil, white

Skin Irritation Rabbit Slight  
Eye Irritation Rabbit Slight

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

##### Pyrantel tartrate

13 Week(s) Dog 2 mg/kg/day NOEL Gastrointestinal System  
13 Week(s) Rat Oral 12 mg/kg/day NOEL None identified  
2 Year(s) Rat Oral 3 mg/kg/day NOEL Blood  
2 Year(s) Dog Oral 3 mg/kg/day NOEL Liver

#### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

##### Pyrantel tartrate

Reproductive & Fertility Rat Oral 30 mg/kg/day NOEL No effects at maximum dose

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

##### Pyrantel tartrate

Bacterial Mutagenicity (Ames) *Salmonella* Negative

#### Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

## MATERIAL SAFETY DATA SHEET

Material Name: **STRONGID C 2X (Pyrantel Tartrate)**  
Revision date: 04-Sep-2013

Page 7 of 8  
Version: 2.0

### 12. ECOLOGICAL INFORMATION

<b>Environmental Overview:</b>	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
<b>Toxicity:</b>	No data available
<b>Persistence and Degradability:</b>	No data available
<b>Bio-accumulative Potential:</b>	No data available
<b>Mobility in Soil:</b>	No data available

### 13. DISPOSAL CONSIDERATIONS

<b>Waste Treatment Methods:</b>	Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.
---------------------------------	---

### 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

### 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

**Canada - WHMIS: Classifications**

**WHMIS hazard class:**

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

**Pyrantel tartrate**

**CERCLA/SARA 313 Emission reporting**  
**California Proposition 65**

Not Listed  
Not Listed

## MATERIAL SAFETY DATA SHEET

Material Name: **STRONGID C 2X (Pyrantel Tartrate)**  
Revision date: 04-Sep-2013

Page 8 of 8  
Version: 2.0

### 15. REGULATORY INFORMATION

EU EINECS/ELINCS List 251-501-8

#### Mineral oil, white

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	232-455-8

#### Non-hazardous ingredients

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

#### PROPIONIC ACID ... %

CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	5000 lb 2270 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5 Schedule 6
EU EINECS/ELINCS List	201-176-3

### 16. OTHER INFORMATION

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

C - Corrosive

R34 - Causes burns.

#### Data Sources:

The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

#### Reasons for Revision:

Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.  
Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage.

#### Prepared by:

Toxicology and Hazard Communication  
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**