

Revision date: 03-Mar-2014 Version: 4.0 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: FarrowSure GOLD

FarrowSure GOLD **Trade Name:**

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail:

VMIPSrecords@zoetis.com

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified

Hazard Statements: Non-hazardous in accordance with international standards for workplace safety.

Other Hazards

Short Term: May cause eye irritation May cause skin irritation. (based on components) In the event of

> accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification Non-Hazardous Substance. Non-Dangerous Goods.

(NOHSC):

This document has been prepared in accordance with standards for workplace safety, which Note:

> require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: FarrowSure GOLD
Revision date: 03-Mar-2014
Page 2 of 10
Version: 4.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum hydroxide	21645-51-2	244-492-7	Not Listed	Not Listed	*
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Gentamicin	1403-66-3	215-765-8	Not Listed	Not Listed	##
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	<0.1

Additional Information: * Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get

medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

Inhalation: Get medical attention immediately. Remove to fresh air. If not breathing, give artificial

respiration.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of

No data available

Exposure:

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

Material Name: FarrowSure GOLD Page 3 of 10 Revision date: 03-Mar-2014 Version: 4.0

5. FIRE-FIGHTING MEASURES

Extinguish fires with CO2, extinguishing powder, foam, or water. **Extinguishing Media:**

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Dike and collect water

used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills:

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Keep away from heat, sparks, and flame. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Aluminum hydroxide

ACGIH Threshold Limit Value (TWA) 1 mg/m^3 Austria OEL - MAKs 5 ma/m³ Germany (DFG) - MAK 4 ma/m³ 1.5 mg/m³

6 ma/m³ Latvia OEL - TWA 6 mg/m³ Lithuania OEL - TWA

Material Name: FarrowSure GOLD Page 4 of 10
Revision date: 03-Mar-2014 Version: 4.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 Poland OEL - TWA
 2.5 mg/m³

 1.2 mg/m³

 Slovakia OEL - TWA
 1.5 mg/m³

 Switzerland OEL -TWAs
 3 mg/m³

Gentamicin

Bulgaria OEL - TWA 0.1 mg/m³

Formaldehyde

ACGIH Ceiling Threshold Limit:

ACGIH - Sensitizer Designation

Australia STEL

2 ppm
2.5 mg/m³

Australia TWA

1 ppm
1.2 mg/m³

Austria OEL - MAKs

0.5 ppm

Bulgaria OEL - TWA 1.0 mg/m³
Czech Republic OEL - TWA 0.5 mg/m³
Estonia OEL - TWA 0.5 ppm 0.6 mg/m³

Germany (DFG) - MAK0.3 ppm
0.37 mg/m³ no irritation should occur during mixed exposure

 $\begin{tabular}{lll} \textbf{Greece OEL - TWA} & 2 ppm \\ 2.5 mg/m^3 \\ \textbf{Hungary OEL - TWA} & 0.6 mg/m^3 \\ \textbf{Ireland OEL - TWAs} & 2 ppm \\ \end{tabular}$

2.5 mg/m³

Japan - OELs - Ceilings

0.2 ppm
0.24 mg/m³

 Latvia OEL - TWA
 0.5 mg/m³

 Lithuania OEL - TWA
 0.5 ppm

 0.6 mg/m³
 0.6 mg/m³

Netherlands OEL - TWA0.15 mg/m³Vietnam OEL - TWAs0.5 mg/m³OSHA - Final PELS - TWAs:0.75 ppmOSHA - Specifically Regulated Chemicals2 ppm0.75 ppm0.75 ppm

0.5 ppm 0.75 ppm 0.5 mg/m³

 Poland OEL - TWA
 0.5 mg/m³

 Romania OEL - TWA
 1 ppm

 1.20 mg/m³
 0.3 ppm

 Slovenia OEL - TWA
 0.37 mg/m³

 0.5 ppm
 0.62 mg/m³

Sweden OEL - TWAs0.3 ppm
0.37 mg/m³

PZ00806

Material Name: FarrowSure GOLD Page 5 of 10 Revision date: 03-Mar-2014 Version: 4.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Gentamicin

OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³) **Zoetis OEB**

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Keep

airborne contamination levels below the exposure limits listed above in this section. General

room ventilation is adequate unless the process generates dust, mist or fumes. **Personal Protective** Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear Respiratory protection:

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color: Cloudy white **Physical State:** Liquid Odor: No data available. **Odor Threshold:** No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available Water Solubility: No data available

Water (based on components) Solubility:

7.0 + / - 1.5pH: No data available **Melting/Freezing Point (°C):** >100

Boiling Point (°C):

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): Expected to be negligible

Vapor Density (g/ml): No data available No data available **Relative Density:** Specific Gravity: 1.0 + / - 0.2Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): Non-flammable **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

Will not occur Polymerization:

Material Name: FarrowSure GOLD Page 6 of 10 Revision date: 03-Mar-2014 Version: 4.0

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

Incompatible Materials:

As a precautionary measure, keep away from strong oxidizers None expected under normal conditions.

Hazardous Decomposition

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)

Oral LD50 75 mg/kg Rat

Rat Subcutaneous LD50 98mg/kg

Gentamicin

Rat Oral LD50 6600 mg/kg Subcutaneous LD50 710mg/kg Mouse IM LD50 167 mg/kg Rat IM LD50 463 mg/kg

Formaldehyde

Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)

Eye Irritation Rabbit

Gentamicin

Eye Irritation Rabbit Non-irritating

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Material Name: FarrowSure GOLD Page 7 of 10
Revision date: 03-Mar-2014 Version: 4.0

11. TOXICOLOGICAL INFORMATION

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Gentamicin

Embryo / Fetal Development Rat Intramuscular 75 mg/kg/day LOAEL Developmental toxicity

Formaldehyde

Embryo / Fetal Development Mouse Oral185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

<u>Carcinogen Status:</u> None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen. See below

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

D70000

Material Name: FarrowSure GOLD Page 8 of 10
Revision date: 03-Mar-2014 Version: 4.0

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

Formaldehyde

RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Material Name: FarrowSure GOLD Page 9 of 10
Revision date: 03-Mar-2014 Version: 4.0

15. REGULATORY INFORMATION

Aluminum hydroxide

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not

Gentamicin

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 215-765-8

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 100 lb

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals
2 ppm
0.5 ppm
0.75 ppm
Inventory - United States TSCA - Sect. 8(b)
Present

Australia (AICS): Present
Standard for the Uniform Scheduling
for Drugs and Poisons: Schedule 6
EU EINECS/ELINCS List 200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Material Name: FarrowSure GOLD Page 10 of 10
Revision date: 03-Mar-2014 Version: 4.0

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Carcinogenic: Category 3

T+ - Very toxic T - Toxic

C - Corrosive N - Dangerous for the environment

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 -

Toxicology Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet