

Revision date: 08-May-2014

Version: 3.0

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin

Trade Name: Chemical Family: RespiSure-ONE/ER Bac Plus; RespiSure/ER Bac Plus Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Restrictions on Use: Veterinary Vaccine Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid Classification of the Substance or Mixture GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Hazard Statements:

Not classified in accordance with international standards for workplace safety.

Other Hazards Short Term:

May cause eye, skin and respiratory tract irritation. May cause allergic skin reaction . In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification Non-Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

(NOHSC):

Note:

Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
EDTA	60-00-4	200-449-4	Xi; R36	Eye Irrit. 2 (H319)	<0.1
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	<0.1
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Mycoplasma Hyopneumoniae	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Erysipelothrix rhusiopathiae	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Amphigen base	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Water, purified	7732-18-5	231-791-2	Not Listed	Not Listed	90

Additional Information:

* Proprietary

Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.
Skin Contact:	Wash skin with soap and water. If irritation occurs or persists, get medical attention.
Ingestion:	Get medical attention. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014

Page 3 of 11

Version: 3.0

Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
Most Important Symptoms and Effect	cts, Both Acute and Delayed
Symptoms and Effects of	For information on potential signs and symptoms of exposure, See Section 2 - Hazards
Exposure: Medical Conditions	Identification and/or Section 11 - Toxicological Information.
Aggravated by Exposure:	
Indication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None
	5. FIRE-FIGHTING MEASURES
Extinguishing Media:	Extinguish fires with CO2, extinguishing powder, foam, or water.
Special Hazards Arising from the Su	ibstance or Mixture
Hazardous Combustion Products:	Formation of toxic gases is possible during heating or fire.
Fire / Explosion Hazards:	Not flammable.
Advice for Fire-Fighters During all fire fighting activities,	wear appropriate protective equipment, including self-contained breathing apparatus.
Additional Information:	This product is a nonflammable aqueous solution.
6.	ACCIDENTAL RELEASE MEASURES
	uipment and Emergency Procedures should wear appropriate personal protective equipment (see Section 8). Minimize exposure.
Environmental Precautions Place waste in an appropriately	labeled, sealed container for disposal. Care should be taken to avoid environmental release.
Methods and Material for Containme	ent and Cleaning Up
Measures for Cleaning / Collecting:	Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
Additional Consideration for	Non-essential personnel should be evacuated from affected area. Report emergency
Large Spills:	situations immediately. Clean up operations should only be undertaken by trained personnel.
	7. HANDLING AND STORAGE
Precautions for Safe Handling	
When handling, use appropriate	personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing.
Avoid breathing vapor or mist. A be avoided.	Avoid accidental injection. Wash thoroughly after handling. Releases to the environment should

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Store under refrigeration in closed container.
Storage Temperature:	2-7°C
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Specific end use(s):	No data available

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014

Version: 3.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

malaonyao	
ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm
	0.6 mg/m ³
Finland OEL - TWA	0.3 ppm
	0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm
	0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm
	2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm
	2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm
	0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm
	1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm
	0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm
	0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm
	0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm
	0.37 mg/m ³

Aluminum hydroxide gel

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014

Page	5	of	11	
------	---	----	----	--

Version: 3.0

8. EXPOS	SURE CONTROLS / PERSONAL PROTECTION	
ACGIH Threshold Limit Value		
Austria OEL - MAKs	5 mg/m ³	
Germany (DFG) - MAK	4 mg/m ³	
	1.5 mg/m³	
Latvia OEL - TWA	6 mg/m ³	
Lithuania OEL - TWA	6 mg/m ³	
Poland OEL - TWA	2.5 mg/m ³	
	1.2 mg/m ³	
Slovakia OEL - TWA	1.5 mg/m ³	
Switzerland OEL -TWAs	3 mg/m ³	
F		
Exposure Controls	Engineering controls should be used as the primary means to control exposures. Keep	
Engineering Controls:	airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.	
Personal Protective	Refer to applicable national standards and regulations in the selection and use of personal	
Equipment:	protective equipment (PPE).	
Hands:	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.	
Eyes:	Wear safety glasses or goggles if eye contact is possible.	
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and	
	for bulk processing operations.	
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Liquid No data available. Mixture	Color: Odor Thresh Molecular W	 No data available. No data available. Mixture	
Solvent Solubility:	No data available			
Water Solubility:	No data available			
pH:	7.0 +/- 1.5			
Melting/Freezing Point (°C):	No data available			
Boiling Point (°C):	>100			
Partition Coefficient: (Method, pH, E No data available	indpoint, Value)			
Decomposition Temperature (°C):	No data available.			
Evaporation Rate (Gram/s):	No data available			
Vapor Pressure (kPa):	No data available			
Vapor Density (g/ml):	No data available			
Relative Density:	No data available			
Specific Gravity:	1.0 +/- 0.2			
Viscosity:	No data available			
Flammablity: Autoignition Temperature (So	hlid) (°C).	No data available		
Flammability (Solids):		No data available		
Flash Point (Liquid) (°C):		Non-flammable		
Upper Explosive Limits (Liqui	id) (% by Vol.):	No data available		

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 6 of 11

Version: 3.0

Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: No data available Will not occur

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions	No data available Stable
Oxidizing Properties:	None
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been investigated. The following information is available for the individual ingredients. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg Rat Subcutaneous LD50 98mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

EDTA

Rat Oral LD50 > 2000 mg/kg Rat Oral LD50 4500 mg/kg

Aluminum hydroxide gel

Rat Para-periosteal LD50 150 mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 7 of 11

Version: 3.0

11. TOXICOLOGICAL INFORMATION

Skin Irritation Rabbit Moderate Severe Skin Sensitization Positive

Skin Irritation / Sensitization

This product contains formaldehyde and merthiolate which are considered to be skin sensitizers.

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Inhalation Not Specified Dog Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames)BacteriaPositiveIn Vitro Chromosome AberrationRodentPositiveIn Vitro Sister Chromatid ExchangeRodentPositiveIn Vivo Chromosome AberrationNot specifiedPositive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:None of the components present in this material at concentrations equal to or greater than
0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde IARC:

> NTP: OSHA:

Group 1 (Carcinogenic to Humans) Known Human Carcinogen Listed

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 8 of 11

Version: 3.0

	12. ECOLOGICAL INFORMATION
Environmental Overview:	Environmental properties of the formulation have not been investigated. This product contains trace quantities of mercury, releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Formaldehyde RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class: Non-controlled This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 9 of 11

Version: 3.0

15. REGULATORY INFORMATION

EDTA

EDTA	
CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances	5000 lb
and their Reportable Quantities:	2270 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 4
for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	200-449-4
	200 110 1
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 lb
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous	500 lb
TPQs	
CERCLA/SARA - Section 302 Extremely Hazardous	100 lb
Substances EPCRA RQs	
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
Conta opcomouny regulated onemicals	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
	Schedule 2
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 6
-	
EU EINECS/ELINCS List	200-001-8
Merthiolate (as mercury)	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	developmental toxicity initial date 7/1/90
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex XVII - Restrictions on Certain	Use restricted. See item 18.
Dangerous Substances:	200.240.4
EU EINECS/ELINCS List	200-210-4
Museeleeme Hueneumeniae	
Mycoplasma Hyopneumoniae	Not Listed
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 10 of 11

Version: 3.0

15. REGULATORY INFORMATION

Aluminum hydroxide gel CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List	Not Listed Not Listed Present Present 244-492-7
Erysipelothrix rhusiopathiae	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Amphigen base CERCLA/SARA 313 Emission reporting California Proposition 65 EU EINECS/ELINCS List	Not Listed Not Listed Not Listed
Water, purified	
CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): REACH - Annex IV - Exemptions from the obligations of Register:	Not Listed Not Listed Present Present Present
EU EINECS/ELINCS List	231-791-2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.2; H300 - Fatal if swallowed Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed Acute toxicity, dermal-Cat.1; H310 - Fatal in contact with skin Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled Carcinogenicity-Cat.1A; H350 - May cause cancer Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

C - Corrosive Carcinogenic: Category 3 N - Dangerous for the environment T - Toxic T+ - Very toxic

Material Name: Erysipelothrix Rhusiopathiae-Mycoplasma Hyopneumoniae Bacterin Revision date: 08-May-2014 Page 11 of 11

Version: 3.0

 R33 - Danger of cumulative effects. R34 - Causes burns. R40 - Limited evidence of a carcinoger R43 - May cause sensitization by skin R23/24/25 - Toxic by inhalation, in con R26/27/28 - Very toxic by inhalation, ir R50/53 - Very toxic to aquatic organism 	contact. tact with skin and if swallowed.
Data Sources:	The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.
Reasons for Revision:	Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information.
Prepared by:	Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet