

## SAFETY DATA SHEET Marquis (Ponazuril) EPM Paste

Version 2.0

Revision Date 07/31/2015

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product information**

Product Name:	Marquis (Ponazuril) EPM Paste
SDS Number:	122000007040

Use

: veterinary medicine

## Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 USA (800) 633-3796

In case of emergency: (800) 422-9874 Chemtrec: (800) 424-9300 BAYER INFORMATION PHONE:(800) 633-3796 INTERNATIONAL:(703) 527-3887

## 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Colour: off-white Form: paste Odour: odourless.

#### **GHS Classification:**

Not a dangerous substance / mixture according to GHS.

## GHS Label element:

Not a dangerous substance / mixture according to GHS.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percent 15%

**Components** ponazuril

**CAS-No.** 69004-04-2

## SAFETY DATA SHEET Marquis (Ponazuril) EPM Paste Version 2.0 Revisio

Revision Date 07/31/2015

10 - 30% Propane-1,2-diol 57-55-6

## 4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

**In case of skin contact:** After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

**In case of eye contact:** In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

#### **5. FIREFIGHTING MEASURES**

**Suitable extinguishing media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

**Specific hazards during firefighting:** Fire may cause evolution of: Hydrogen cyanide (hydrocyanic acid) Hydrogen fluoride Sulphur oxides Nitrogen oxides (NOx) Carbon oxides

**Special protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus.

**Further information:** Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

**Methods for cleaning up:** Cover spilled product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labeled, closable containers.

Additional advice: No special precautions required.

# SAFETY DATA SHEET Marquis (Ponazuril) EPM Paste

Version 2.0

Revision Date 07/31/2015

Further AccidentalNo special precautions required.Release Notes

## 7. HANDLING AND STORAGE

#### Handling:

Industrial uses: Avoid formation of aerosol. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

## Storage:

Storage temperature: 59 - 86 °F (15 - 30 °C)

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Propane-1,2-diol (57-55-6)

US. OARS. WEELs Workplace Environmental Exposure Level Guide Time Weighted Average (TWA): 10 mg/m3 (Aerosol.)

#### **Respiratory protection:**

Recommended Filter type: Organic vapor with prefilter

None required for consumer use of this product.

#### Hand protection:

Chemically resistant gloves. None required for consumer use of this product.

#### Eye protection:

Safety glasses

None required for consumer use of this product.

#### Hygiene measures:

Cleanliness Guidelines (GMP) for manufacturing of drugs must be observed!

#### Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Colour: Odour: Odour Threshold:

paste off-white odourless No applicable information is available

## SAFETY DATA SHEET Marquis (Ponazuril) EPM Paste Version 2.0 Revision Date 07/31/2015

Melting point:	No applicable information is available
Boiling point/boiling range:	No applicable information is available
Density:	1.06 - 1.1 g/cm³
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	No applicable information is available
Water solubility:	No applicable information is available
pH:	5.7 - 6
Relative density:	No applicable information is available
Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	> 200 °F (> 93.33 °C)
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

## **10. STABILITY AND REACTIVITY**

**Conditions to avoid:** Do not allow product to come in contact with: Heat Exposure to sunlight.

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

#### Thermal decomposition:

No data available

#### Hazardous decomposition products:

Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Sulphur oxides, Nitrogen oxides (NOx), Carbon oxides

#### Oxidizing properties:

No statements available.

## Impact sensitivity:

No data available

Version 2.0

## **11. TOXICOLOGICAL INFORMATION**

#### Acute oral toxicity:

ponazuril LD50 Rat: > 5,000 mg/kg

Propane-1,2-diol LD50 Rat: 22,000 mg/kg The substance or mixture has no acute oral toxicity

#### Acute inhalation toxicity:

Propane-1,2-diol LC50 Rabbit: > 317 mg/l, 2 h The substance or mixture has no acute inhalation toxicity

#### Acute dermal toxicity:

Propane-1,2-diol LD50 Rabbit: > 5,000 mg/kg The substance or mixture has no acute dermal toxicity

#### Skin irritation:

Propane-1,2-diol Rabbit Result: No skin irritation

#### Eye irritation:

Propane-1,2-diol Rabbit Result: No eye irritation

#### Sensitisation:

Propane-1,2-diol Human experience Result: Does not cause skin sensitisation.

guinea pig Result: Does not cause skin sensitisation.

Method: OECD 406

#### Subacute, subchronic and prolonged toxicity:

ponazuril NOEL 150 ppm, Rat, Exposure time 105 d Subchronic toxicity

NOEL 200 ppm, Dog, Exposure time 91 d Subchronic toxicity

Propane-1,2-diol NOEL 50,000 mg/kg, Rat Oral, Exposure time 24 month

NOEL 1 mg/l, Rat Inhalation, Exposure time 3 month Number of exposures: Once daily

# SAFETY DATA SHEET Marquis (Ponazuril) EPM Paste

Version 2.0

#### Genotoxicity in vitro:

ponazuril Ames test Result: No evidence of a genotoxic effect.

Micronucleus test Result: No indication of clastogenic effects.

Propane-1,2-diol Ames test Bacteria Dose: yes Result: negative Method: OECD 471

Mammalian cells Result: negative Method: OECD 476

#### Genotoxicity in vivo:

Propane-1,2-diol

Result: negative Method: OECD 478

## Carcinogenicity:

Propane-1,2-diol Rat: Exposure time: 2 a Number of exposures: Once daily Result: negative

#### **Reproductive toxicity:**

Propane-1,2-diol Application Route: Oral Rat, female: Test period: 18 d NOAEL: 1600 mg/kg Result: Animal testing did not show any effects on fertility.

#### Teratogenicity:

Propane-1,2-diol Rat, male: Number of exposures: Once daily Test period: 15 d NOAEL: 1600 mg/l Result: No indication of teratogenic effects.

#### Carcinogenicity:

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

#### STOT - single exposure:

No data available

**STOT - repeated exposure:** No data available Version 2.0

## **12. ECOLOGICAL INFORMATION**

#### **General advice:**

Do not allow to enter surface waters or groundwater. No data is available on the product itself.

## Toxicity to fish:

ponazuril LC50 10.3 mg/l Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

LC50 88 mg/l Test species: Lepomis macrochirus (Bluegill) Duration of test: 96 h

Propane-1,2-diol Acute Fish toxicity: LC50 40,613 mg/l Test species: Pimephales promelas (fathead minnow) Duration of test: 96 h

#### Toxicity to daphnia and other aquatic invertebrates:

ponazuril EC50 23.8 mg/l Test species: Daphnia magna (Water flea) Duration of test: 48 h

Propane-1,2-diol LC50 18,340 mg/l Test species: Ceriodaphnia dubia (water flea) Duration of test: 48 h

#### Toxicity to algae:

Propane-1,2-diol IC50 19,100 mg/l tested on: Pseudokirchneriella subcapitata (green algae)

#### Toxicity to bacteria:

Propane-1,2-diol NOEC 20,000 mg/l tested on: Pseudomonas putida Duration of test: 18 h

### **Biodegradability:**

ponazuril Not rapidly biodegradable

Propane-1,2-diol 87 - 92 %, 28 d rapidly biodegradable Method: OECD 301 C

#### **Bioaccumulation:**

Propane-1,2-diol

Bioconcentration factor (BCF) 0.09

Version 2.0

Revision Date 07/31/2015

## **13. DISPOSAL CONSIDERATIONS**

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### 14. TRANSPORT INFORMATION

Land transport (CFR) non-regulated

US Sea transport (IMDG) non-regulated

US Air transport (ICAO / IATA cargo aircraft only) non-regulated

US Air transport (ICAO / IATA passenger and cargo aircraft) non-regulated

International IATA IMDG

non-regulated non-regulated

#### **15. REGULATORY INFORMATION**

**US. Toxic Substances Control Act** This product is excluded from TSCA regulation by Section 3 (2)(B)(vi) when used for FDA application.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components None

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components None

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists Weight percent Components CAS-No. 10 - 30% Propane-1,2-diol 57-55-6

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Non-Hazardous

## 16. OTHER INFORMATION

#### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.