

acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

1 Identification

- · Product identifier
- Trade name: SODASORB® 4-8 IND H MED
- Application of the substance / the preparation:

Absorbent

Intermediate product of varied applicability in industry and trade.

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alltech Associates, Inc. GRACE Discovery Sciences 2051 Waukegan Road Deerfield, IL 60015 U. S. A

Information department:

Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000 MSDS.Davison@grace.com

· Emergency telephone number:

Chemtrec North America: +1-800-424-9300 Chemtrec International: +1-703-527-3887 Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS0

- · Signal word Danger
- Hazard-determining components of labeling:

calcium hydroxide sodium hydroxide

Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

(Contd. on page 2)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 1)

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	List of Dangerous Components			
- [1305-62-0 calcium hydroxide			
١		🔷 Eye Dam. 1 , H318; 🐠 Skin Irrit. 2 , H315; ST OT SE 3 , H335		
- [sodium hydroxide	< 4%	
-		♦ Met. Corr.1, H290; Skin Corr. 1A, H314		

4 First-aid measures

After inhalation:

In case of unconsciousness place patient stably in the recovery position for transportation.

After skin contact:

Immediately wash with water at least for 30 minutes and rinse thoroughly.

If skin irritation occur, consult a doctor.

After eve contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Then consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

(Contd. on page 3)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 2)

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Hazardous combustion products No further relevant information available.
- Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from food stuffs.
- Further information about storage conditions:

Protect from frost.

Store in dry conditions.

8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

1305-62-0 calcium hydroxide

PEL Long-term value: 15* 5** mg/m³
*total dust **respirable fraction
REL Long-term value: 5 mg/m³

TLV Long-term value: 5 mg/m³

1310-73-2 s odium hydroxide

PEL Long-term value: 2 mg/m³ REL Ceiling limit value: 2 mg/m³ TLV Ceiling limit value: 2 mg/m³

7732-18-5 water, distilled, or of similar purity

PEL Long-term value:

OSĂATWA: NONE ESTABLISHED

TLV Long-term value: -

ACGIH TWA: NONE ESTABLISHED

- · Additional information: Valid lists at time of creation were used as basis.
- Exposure controls
- Appropriate engineering controls No further relevant information available.

(Contd. on page 4)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 3)

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Prevent contact with the eyes and skin.

Breathing equipment:

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. As appropriate for the employee exposure, use a NIOSH approved respirator and cartridge.

As appropriate for the employee exposure, use a NIOSH approved respirator and cartridge.

Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: > 0.5 mm

PVC aloves

- · For the permanent contact gloves made of the following materials are suitable: PVC gloves
- · Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Color: Pellets Color: Whitish Odor: Characteristic PH-value: Not applicable. Change in condition Melting point/Melting range: Not determined.

(Contd. on page 5)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

	(Contd. of page
Boiling point/Boiling range: · Conditions of flammability	Not available.
Flash point:	Not applicable.
· Flammability (solid, gaseous): · Ignition temperature: · Decomposition temperature:	Not determined. Not available. Not available.
· Auto igniting:	Product is not self-igniting.
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.
Lower:	- Vol %
Upper:	Vol %
Explosion data - sensitivity to mechanic impact	Not determined.
Explosion data - sensitivity to static discharge	Not determined.
Vapor pressure:	Not applicable.
Density: Specific Gravity Vapour density	Not determined. Not available Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water: Coefficient of water/oil distribution:	Slightly soluble. Not available.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

- · Chemical stability No decomposition if used according to specifications.
- Possibility of hazardous reactions

May react with trichloroethylene, producing dichloracetylene, carbon monoxide and phosgene.

- Conditions to avoid
 - In case of thermal decomposition caused by smouldering and incomplete combustion toxic fumes may be developed.
- · Incompatible materials: Protect from contamination.
- · Hazardous decomposition products: No dangerous decomposition products known.

USA



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 5)

11 Toxicological information

- Information on the likely routes of exposure
- Delayed and immediate effects and chronic effects from short or long term exposure
- Information on toxicological effects
- · Acute toxicity:

+ LD/LC5	0 valu	es that are relevant for classification:			
	1305-62-0 calcium hydroxide				
Oral	LD50	>2000 mg/kg (rat) (OECD 425) ECHA 2011			
Dermal	LD50	>2500 mg/kg (rabbit) (OECD 402) ECHA 2011			
	1310-73-2 sodium hydroxide				
Dermal LD50 1350 mg/kg (rabbit) IUCLID Dataset 18-Feb-2000					

- Primary irritant effect:
- on the skin:

Irritant to skin and mucous membranes.

Irritation of skin	S >60 (in- comp. p GRACE			
1305-62-0 calcium hydroxide				
Irritation of skin	S irritating ECHA2	(rabbit) (OECD 404) 011		

1310-73-2 sodium hydroxide

Irritation of skin IS 5.6 (rabbit) (§ 1500.41 in Federal Register Vol. 38, No. 187) ECHA 2014

on the eye:

Strong irritant with the danger of severe eye injury.

1305-62-0 calciu		•
Irritation of eyes	IS	irritating (rabbit) (OECD 405) ECHA 2011
_		ECHA 2011
1310-73-2 s odiu	m	hydroxide
Irritation of eyes	IS	>2.25 (rabbit) (OECD 405)
_		ECHA 2014

Respiratory sensitization No further relevant information available.

Skin sensitiz	zati	on
1310-73-2 s o	diu	m hydroxide
Sensitization		0 (human being) not sensitizing Echa 2014

- Additional toxicological information:
- · Carcinogenic categories

IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	

· NTP (National Toxicology Program)

None of the ingredients is listed

(Contd. on page 7)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 6)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Carcinogenicity No further relevant information available.

Mutagenicity

1310-73-2 sodium hydroxide

AMES Test negative mg/plate (Salmonella typhimurium)

Echa 2014

- · Reproductive toxicity No further relevant information available.
- · Specific target organ toxicity (single exposure) No further relevant information available.
- Specific target organ toxicity (repeated exposure) No further relevant information available.
- · Aspiration hazard No further relevant information available.

12 Ecological information

- Toxicity
- Aquatic toxicity:

Fis	h	toxi	city
	••		

1305-62-0 calcium hydroxide

LC50 (96 h) 160 mg/l (Gambusia affinis)

IUCLIĎ Dataset 18-Feb-2000

50.6 mg/l (Oncorhynchus mykiss)

IECHA ŽOTI

1310-73-2 s odium hydroxide

LC50 (48h) 189 mg/l (Leuciscus idus)

IUCLIĎ Dataset (18/Feb/2000)

LC50 (96 h) 125 mg/l (Gambusia affinis)

MSDS Merck 2014

Water flea toxicity

1305-62-0 calcium hydroxide

EC50 (48 h) 49.1 mg/l (Daphnia magna) (OECD 202)

ECHA 2011

1310-73-2 sodium hydroxide

EC50 (48 h) 100 mg/l (Daphnia magna)

IUCLID Dataset 18-Feb-2000

· Algae toxicity

1305-62-0 calcium hydroxide

EC10 (72 h) 79.22 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

crangon septemspinosa

· Bacterial toxicity

1310-73-2 s odium hydroxide

EC50 (15 min) 22 mg/l (Photobacterium phosphoreum)

MSDS Merck 2014

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 7)

- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	None
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	None
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	None
· Packing group · DOT, ADR, IMDG, IATA	None
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Trans port/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: -
· IATA	
· Remarks:	GRACE recommends CARGO AIRCRAFT only.

15 Regulatory information

- · SARA
- SARA 302/304

None of the ingredients is listed.

· SARA 313

None of the ingredients is listed.

- · SARA 311/312 Immediate (Acute) Health Hazard.
- TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 8)

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Canadian DSL Compliant.
- · Canadian NDSL Not available.

European EINECS

All ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances PICCS

All ingredients are listed.

Inventory of the Existing Chemical Substances manufactured or imported in China IECSC

All ingredients are listed.

Australian Inventory of Chemical Substances AICS

All ingredients are listed.

Existing and New Chemical Substance List ENCS

1305-62-0	calcium hydroxide	1-181	
1310-73-2	sodium hydroxide	1-410	

Korean Existing Chemical Inventory KECI

	3	
1305-62-0	calcium hydroxide	KE-04518
1310-73-2	sodium hydroxide	KE-31487

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

- Signal word Danger
- · Hazard-determining components of labeling:

calcium hydroxide sodium hydroxide

Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.



acc. to OSHA HCS

Printing date 02/20/2015 Version: 3.0 Reviewed on 02/12/2015

Trade name: SODASORB® 4-8 IND H MED

(Contd. of page 9)

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- · Department issuing SDS: GRACE Safety & Health Department
- Other information: MADE IN USA
- Date of preparation / last revision 02/20/2015 / 2.9
- The first date of preparation 01/28/2015
- Number of revision times and the latest revision date 3.0 / 02/12/2015
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritim e Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: Am erican Conference of Governmental Industrial Hygienists

EINE CS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

Met. Corr.1: Corrosive to metals, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Imit. 2: Skin corrosion/imitation, Hazard Category 2

Eye Dam . 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3